

# aurora

34 - 56

erbsünde



schnittmuster



sewing pattern

## Foreword

I am very delighted that you have chosen a pattern from erbsünde.

Since 2013, I have poured a lot of heart and soul into creating patterns for women, men, and children. No body is shaped like another and often, store-bought clothing doesn't fit optimally. We want to move away from run-of-the-mill outfits and towards individual tops, dresses, jackets, coats, and pants, that can be made from self-chosen fabrics – even in larger sizes and shorter or longer lengths. Every pattern can be adjusted as desired and is very versatile due to numerous variants.

With this pattern, you enhance your wardrobe with favorite items that make you feel comfortable and that serve as beautiful yet comfy garments accompanying you throughout your day.

The detailed, illustrated instructions help you with the making - step-by-step from cutting the fabric to completing the bag. Certainly, there are some things you have not yet tried, but you can also learn with the help of the instructions and further perfect your hobby – sewing.

On my website at [www.erbsuende.com](http://www.erbsuende.com) (there: DIY), you will find numerous tutorials and instructions for pattern modifications.

If you have any questions, feel free to send me an email at [info@erbsuende.com](mailto:info@erbsuende.com).

I wish you a lot of joy with your new pattern,

Your Ilka

## Imprint

© erbsünde

Ilka Matthiessen

Year of Publication: 2023

Author/Creator/Copyright holder: Ilka Matthiessen

Editing/Proofreading: Ilka Matthiessen



This work, including its parts, is protected by copyright and may not be shared. Any use without the consent of the author is prohibited and expressly forbidden. This applies in particular to (even partial) electronic or other reproduction, translation, distribution, and public accessibility. All rights reserved by Ilka Matthiessen erbsünde  
Karlsbader Str. 8 80937 Munich, Germany [info@erbsuende.com](mailto:info@erbsuende.com)

# aurora

## Table of contents

Material Sheet: Amount of fabric, required Material, important Notes	1
Cut Aurora	2 - 4
Sew Aurora	4 - 17



## About Aurora

Aurora is a beautiful feminine wrap dress that fits closely at the bust and flares out from the waist. The front parts of the top are double-layered (lined). The lovely shawl collar accentuates the neckline and can be worn open or closed. The pattern includes two skirt lengths and three sleeve lengths. Additionally, it features optional seam pockets.

## Body Measurement Chart

The following table is used to choose the size. The bust measurement is crucial for selecting the correct size. If you need a larger size at the hips, adjust the pattern of the skirt part from the waist accordingly to the next or next-to-next size.

Size EU	34	36	38	40	42	44	46	48	50	52	54	56
Chest	up to 90cm	up to 94cm	up to 98cm	up to 102cm	up to 106cm	up to 111cm	up to 116cm	up to 121cm	up to 126cm	up to 130cm	up to 135cm	up to 140cm
Waist	up to 75cm	up to 80cm	up to 85cm	up to 90cm	up to 94cm	up to 97cm	up to 100cm	up to 105cm	up to 112cm	up to 118cm	up to 123cm	up to 130cm
Hips	up to 90cm	up to 93cm	up to 97cm	up to 100cm	up to 105cm	up to 110cm	up to 115cm	up to 120cm	up to 125cm	up to 130cm	up to 135cm	up to 140cm

## Fabric Recommendation

All stretchy fabrics such as jersey, viscose jersey, Ponte di Roma, lightweight summer sweat, etc., are suitable.

## Fabric length for a fabric width of 145 cm

Size EU	34	36	38	40	42	44	46	48	50	52	54	56
Fabric length long skirt and long sleeves	3m	3m	3m	3m	3,5m	3,5m	3,5m	3,5m	4m	4m	4m	4m
Fabric length short skirt and short sleeves	3m	3m	3m	3m	2,5m	2,5m	2,5m	2,5m	2m	2m	2m	2m

## Seam and Hem Allowances

The sewing pattern does not include seam and hem allowances; these must be added individually when cutting the fabric.

## Required Material

- Fabric (see above)
- Tape for assembling the pattern
- Scissors, measuring tape, pins or clips
- Sewing machine, serger/coverstitch machine (if available), iron

## Important Notes

- Please read the entire instructions before cutting!
- The pattern does not include seam and hem allowances.
- For the correct opening and printing, please use the latest Adobe Acrobat Reader
- When printing, ensure it's set to either 100% or "no page scaling".

**Legal Notices:** All rights to this sewing pattern are owned by Ilka Matthiessen, erbsünde. The pattern may be used for private purposes. For commercial use of the pattern, a maximum of up to 20 finished garments may be produced and sold without a license. For commercial production of more than 20 garments, a commercial license must be obtained beforehand at [www.erbsuende.com](http://www.erbsuende.com). Mass production of garments made from this pattern is prohibited. Redistribution, resale, exchange, copying, reproduction, or (partial) publication of this pattern is expressly prohibited, and violations of copyright will result in significant fines. When selling garments made from this pattern, it is required to indicate: "Sewn using a pattern from erbsünde."




### **Cut aurora**

Choose the desired skirt length in the pattern. Be sure to select the same length for the front and back skirt pieces!

Fold the fabric with wrong sides together. Place the pattern piece for the back skirt with the edge "back center" on the fold edge of the fabric.

Cut out the pattern piece once on the fold.

Be sure to transfer any markings, notches, or dart lines from the pattern to the fabric pieces accurately. This will help ensure proper assembly and fitting during the sewing process.



Cut out the front skirt piece once in double fabric layer.

You will get 2 mirror-image pattern pieces.



Cut out the front piece 2 times in double fabric layer.

You will get 4 pattern pieces.

Cut out the back piece once on the fabric fold.



Cut the sleeves in the desired length once in double fabric layer. For this tutorial, we have chosen the short sleeves. For the other sleeve lengths, you follow the same steps.



If you want to sew your dress with pockets, cut the pockets 2 times in double fabric layer. You will get 4 pattern pieces.



Cut the tie belt once in double fabric layer.  
If you want a wider tie belt like here, take  
the double width of the pattern piece.



### **Sew Aurora**

Transfer the bust dart from the  
pattern to all front pieces.



Pin the markings of the bust dart  
together.







Sew the bust dart along the markings using a straight stitch on the sewing machine.



Iron the dart downwards. This is how your bust dart will look now. Repeat the process with all front pieces.



Now, place the first front piece with the right side of the fabric facing up in front of you.





Place the second front piece right side down on top of it. Align the short edges above the neckline and pin them together. Sew the seam. This will later become the collar of the dress.

Repeat the same process with the other two front pieces.



Now, lay the first front piece unfolded, with the right side of the fabric facing up in front of you.



Place the other front piece right side down on top of it. Align the neckline edges and pin them together. Sew the seam to join them.

Turn the top inside out so that the two front pieces are now lying left side to left side on top of each other.



Now, take the back piece in your hands.



Place the back piece right side down on top of the collar of the front pieces. Align the neckline of the back piece with the lower edge of the collar. Ensure to securely pin all layers of fabric together.





Only pin the neckline together, and do not include the seam allowances at the shoulder edges. Sew the seam together using a sewing machine.



Please make sure to sew the back piece to the collar using a sewing machine and not an overlock machine. Additionally, do not sew the seam allowances at the shoulder edges of the back piece. Only sew the neckline together.



Now, pin the shoulder edge of the back piece right side down to the shoulder edges of the front pieces.



Here is how the pinned front piece looks. Make sure to pin both layers of the front piece securely.



Sew this seam using a sewing machine, and then repeat the same process with the other shoulder edge.



Using a sewing machine creates a clean corner at the transition to the collar.



Now your top looks like this.



Lay the top unfolded with the right side of the fabric facing up in front of you and take the first sleeve in your hand.



Pin the sleeve right side down into the armhole. Ensure to pin both layers of the front piece securely.




Sew the sleeve in place, and then repeat the same process with the other sleeve.



Fold the top right sides together. Pin the underarm and side edges together. Pay close attention to only pin the side seam up to the marking on the pattern. Leave a section of the seam open to allow for threading the tie belt later. Sew the seam in one continuous stitch. Repeat the process with the other side. The other side seam will be completely closed.

Now your top looks like this.



Now, take the back piece of the skirt and lay it with the right side of the fabric facing up in front of you. Place the first pocket piece right side down on top of it. You can position the pocket freely, but we recommend placing it about 5cm below the top edge. Pin the pocket pouch to the edge of the skirt and sew the seam closed.

Repeat the same process on the opposite side.



Now your back piece of the skirt with pockets looks like this.



Repeat the same process with the front pieces of the skirt. Ensure that the pockets are positioned at the same height on all edges.



Now, place the first front piece of the skirt right side down on top of the back piece. Align the side edges and the curves of the pocket pouches together.



Make sure to transfer the marking for the tie belt pass-through from the pattern onto the fabric.

Pin the side seams together, but only below the marking for the tie belt pass-through. Sew the seam.

Repeat the same process on the other side with the second front piece. This time, sew the side seam completely closed.

Now your skirt piece looks like this.



Before assembling the dress, the skirt needs to be hemmed.

To do this, fold the hem allowance on the vertical sides and the bottom edge of the skirt inward.



Sew the hem of the skirt in place.





Lay the hemmed skirt piece unfolded with the right side of the fabric facing up in front of you.  
Place the unfolded top piece right side down on top of it.  
Pin the edges together and sew the seam.  
Pay attention to only pin and sew up to the tie belt pass-through opening initially.



After pinning and sewing up to the tie belt pass-through opening, continue pinning the remaining part of the seam and then sew it closed. This will join the top and skirt together to complete the dress.



That's what your dress now looks like.

Now, take the first tie belt in your hand and lay it with the right side of the fabric facing up in front of you.



Fold the tie belt right sides together. Align the long edges and one of the short edges together. Pin the layers together.



Sew the seam closed along the pinned edges. This will create a long tube for the tie belt.



Turn the tie belt right side out, using a turning tool or a safety pin to help if needed. Then, repeat the same process with the second tie belt to create another long tube.





Now, take the dress back into your hands.



Pin the tie belt, right side down, along the edge of the dress, with the center of the belt aligned precisely with the waist seam. Sew the tie belt securely in place, and then repeat the same process with the other tie belt on the other side of the dress.



Finally, the sleeves need to be hemmed. Fold the hem allowance of each sleeve inward and sew a seam to secure the hem. Repeat the same process with the other sleeve.



Congratulations! Your wrap dress is now complete. Well done on your sewing project! It's now ready to be worn and admired. Enjoy wearing your beautiful dress!